

SENSIT[®] TKX

COMBUSTIBLE GAS LEAK DETECTOR



Adjustable Tick Rate System

Audible and Visual Indicators

Low Cost, Long Life Sensor

Intrinsically Safe Design

MADE IN THE USA
WITH GLOBALLY SOURCED COMPONENTS

SENSIT
Technologies

Innovative Detection Solutions

www.gasleaksensors.com

SENSIT[®] TKX

The perfect choice when locating hard to find natural gas or propane gas leaks.

SENSIT[®] TKX is a hand held gas leak detector perfect for finding leaks along exposed piping systems.

SENSIT[®] TKX incorporates a solid state sensor to detect natural gas, propane and other combustible gases.

High sensitivity allows immediate leak detection

Tick rate control to pinpoint leaks fast

Low maintenance and low initial cost make this product the ideal choice for the budget conscious.

SENSIT[®] TKX is

- Durable
- Easy to Use
- Easy to Maintain

Find Gas Leaks Fast!



Standard Features

- Intrinsically Safe Design
- Solid State, Long Life Sensor
- Adjustable Tick Rate System
- Audible and Visual Indicators
- Alkaline Battery Powered

Applications

- Gas Pipe Leak Detection
- Propane / Butane Bottle Checks
- Chemical Detection
- Arson / Accelerant Detection

Partial List of Gases Sensed

- Acetone
- Alcohol
- Ammonia
- Butane
- Ethylene Oxide
- Gasoline
- Halon
- Hydrogen
- Industrial Solvents
- Jet Fuel
- Lacquer Thinner
- Methane
- Natural Gas
- Propane
- Refrigerants



SENSOR

ON / OFF SWITCH

SENSING INDICATOR

TICK ADJUST DIAL

FLEXIBLE GOOSENECK

BATTERY COMPARTMENT

TO OPERATE:

1. Power On
2. Wait 30 Seconds
3. Adjust Tick
4. Begin to Use

SENSOR SPECIFICATIONS

TYPE	DETECTION LIMIT	RANGE
PPM	20ppm	20-50,000

PRODUCT SPECIFICATIONS

Size:	3.5" x 10" x 1.6" (8.9 x 25.4 x 4 cm)
Weight:	1.3 pounds (0.59 kg)
Operational Temp:	0 to 120° F (-20 to 50° C)
Battery Life:	Alkaline: Approximately 30 hrs. Continuous



STANDARD KIT

- Carrying Pouch
- 3 "C" Batteries
- Instruction Manual



SENSIT® TKX instruments are approved UL913, For Class 1, Division 1, Groups C and D, T3 hazardous locations when used with Duracell MN1400BK batteries or equivalent alkaline batteries.

SENSIT® TKX Instruments

SENSIT TKX
Part # 902-00000-02

Included with instrument:
Instrument Pouch, 3 "C" Batteries, and Instruction Manual

SENSIT® TKX Standard Kit Replacement Parts

Sensor EX (LEL) (2611 Silver 4 Prong)
Part # 375-2611-01

Sensor Cap
Part # 365-00045

Instrument Pouch
Part # 360-00002

Instruction Manual
Part # 750-00043



851 Transport Drive
Valparaiso, IN 46383-8432

Phone: 888 4SENSIT
888 473 6748
219 465 2700

Fax: 219 465 2701
www.gasleaksensors.com

MADE IN THE USA
WITH GLOBALLY SOURCED COMPONENTS

SENSIT Technologies
is an ISO 9001:2015 certified company.



Distributed by: